

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	30-05-2026 10:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	30-05-2026 10:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	60 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Education
विभाग का नाम/Department Name	Department Of Higher Education
संगठन का नाम/Organisation Name	Indian Institute Of Management (iim)
कार्यालय का नाम/Office Name	Ranchi
कुल मात्रा/Total Quantity	400
वस्तु श्रेणी /Item Category	Bunk Beds conforming to IS 17636 (Q2) , Wooden Almirah / Wardrobe (V2) (Q2) , Modular Table / Meeting Table / Centre Table (V2) (Q2) , Chair for General Purpose (Q2)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	29 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	236 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	80 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Wooden Almirah / Wardrobe (V2)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	5909000
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	HDFC Bank
ईएमडी राशि/EMD Amount	120000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	HDFC Bank
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	3.00

ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).

38

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Director

Indian Institute of Management (IIM), Ranchi

(Indian Institute Of Management Ranchi)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में है / Purchase Preference to MII sellers available upto price within $L1+X\%$	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$	15

सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25
--	----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
8. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
[OM No.1_4_2021_PPD_dated_18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
9. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are

validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 80% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
25-05-2026 11:00:00	IIM Ranchi campus, Bidder may ask for the online meeting link through email ID- purchase@iimranchi.ac.in

Bunk Beds Conforming To IS 17636 (75 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic Parameters	Type of bunk beds	2 - Tier bunk beds (Fixed)
	Railing / guard rail at upper bed	Fixed
	Tail board	With
	Shape of tail board	Rectangular
	Head rest	With
	Shape of headrest	Rectangular

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Provision for mosquito net holding rod	Fixed
	Position of ladder	From length side of bed
	Components assembly	By welding
	Type of welding	MIG (Metal inert gas - Gas Metal Arc Welding)
	Provision of mattress panel	With
	Mode of supply	Knocked Down - To Be Assembled At Consignee Site By The Seller
	Type of Surface upholstery	Fabric
Dimensions	Bed Dimensions (Length x Width) (± 5 mm)	Adult (1910 mm x 965 mm)
	Height of entire structure (± 5 mm) - excluding Mosquito net holding rods (minimum ceiling clearance to be 760 mm)	1775.0 (millimeter)
	Height of lower tier (± 5 mm) (Buyer should be careful while selecting keeping in mind minimum ceiling clearance as required ideally 760 mm minimum)	460.0 (millimeter)
	Gap between beds (clear distance between the upper and lower bed bases in mm) (± 5 mm)	850, 915, 1000, 1067 Or higher (millimeter)
Construction	Structure of metal bed frame including legs and head / tails / railing /supporting structure	MS hollow box rectangular or square sections
	Vertical leg structure sections (tolerance ± 2 mm excluding wall thickness)	Tube of size 50 mm X 50 mm with 1.2 mm wall thickness
	Supporting structure of horizontals sections (tolerance ± 2 mm excluding wall thickness)	Tube of size 50 mm X 25 mm with 1.2 mm wall thickness
	Other joining horizontal structure sections (tolerance ± 2 mm excluding wall thickness)	Tube of size 25 mm X 25 mm with 1.2 mm wall thickness
	Stair rail sections for upper level (tolerance ± 2 mm excluding wall thickness)	Tube of size 50 mm X 25 mm with 1.2 mm wall thickness

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Stair step sections (tolerance $\pm$ 2 mm excluding wall thickness)	Tube of size 25 mm X 25 mm with 1.2 mm wall thickness
	Material of mattress panel	Plywood
	Thickness of mattress panel	18 mm Ply
	Upper bed support rail sections (tolerance $\pm$ 2 mm excluding wall thickness)	Tube of size 50 mm X 25 mm with 1.2 mm wall thickness
	Head board sections (tolerance $\pm$ 2 mm excluding wall thickness)	Tube of size 50 mm X 25 mm and 25 mm X 25 mm with 1.2 mm wall thickness
	Tail board sections (tolerance $\pm$ 2 mm excluding wall thickness)	Tube of size 50 mm X 25 mm and 25 mm X 25 mm with 1.2 mm wall thickness
Colour & Finish	Paint /Finish of Metal parts	Powder Coating
	Finish of head board / Tail board	Powder Coating
	Min Powder/paint coating thickness (Micron)	50 microns
Certification & Warranty	Warranty period	1, 2, 3, 4, 5 Or higher (year)

Additional Specification Parameters - Bunk Beds Conforming To IS 17636 (75 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Overall Dimensions of Bed	2130 mm (L) x 970 mm (W) X1655 mm (H)
Suitable mattress size	78"X36"
Bed Board	19mm BWR grade plywood

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	835303,Prabandhan Nagar, Nayarasai Raod, Ranchi	75	30

Wooden Almirah / Wardrobe (V2) (75 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Generic	Type of Product	Wooden Almirah / Wardrobe without Mirror
	Availability of Drawers (Hint: Lockers and drawers are not same)	Yes
	Overall Height of Unit (in mm) (Upper value in each range is not included)	1950 - 2000
	Overall Width of Unit (in mm) (Upper value in each range is not included)	1450 - 1500
	Depth of Unit (in mm) (Upper value in each range is not included)	550 - 600
	Finish of exterior / edge (Select NA, in case of no additional finish)	Wooden
Top Section	Material of Top Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Side of Lamination in Top Section	Double (Top and Bottom Sides) Or higher
	Thickness of Material for Top section (mm)	18 MM
Bottom Section	Material of Bottom Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Thickness of Material for bottom section (mm)	18 MM
	Color Family of Bottom Section	Brown
	Availability of buffers	Yes
Sides Section	Thickness of Wooden Leg / Gable (hint : Select "NA" for Metal Frame)	18 MM
Back Section	Thickness of Material for back section (mm)	18 MM
Door	Number of Doors	4
	Opening Mechanism of Door(s)	Hinged Door
	Availability of Door Locks	Yes
	Type of Door lock	Cam Lock

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Availability of Door Handles	Yes
	Material of Door Handles	Wooden / Engineered Wood
	Height Position of Door Handle	Middle of the Door
	Availability of Reflecting mirror on Door	No
Locker	Availability of Locker	Yes
Formal Hanging Sections (pre-fitted)	Pre-fitted Hanging Rod	Yes
	Material of Hanging Rods	Metal

Additional Specification Parameters - Wooden Almira / Wardrobe (V2) (75 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Overall Dimension of Wardrobe	1500 mm (W) x 2400 mm (H) and 600 mm (D)
Number of Locking Systems in Wardrobe	2

* Bidders offering must also comply with the additional specification parameters mentioned above.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	835303,Prabandhan Nagar, Nayarasai Raod, Ranchi	75	30

Modular Table / Meeting Table / Centre Table (V2) (80 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply Or higher
	Thickness of Table Top (Tolerance ± 5 mm)	25 mm, 36 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Availability of Table top edge	Yes
	Table Top Edges	Straight
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Rectangle
	Width of Table Top (Tolerance ± 50 mm)	1200 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm
	Height of Table Top Adjustable	No
	Standard Height of Work Top / Minimum Height of Height Adjustable Work Top (Tolerance ± 20 mm)	750 mm
Table Understructure	Material Type in Table Understructure	Wooden/Engineer Wood Understructure
	Support Type in Table Understructure	Gable
	Material of Table Understructure	MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	NA
	Thickness of Metal Legs Cross Section	NA
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	25 mm
	Availability of modesty panel	Yes
	Length of Modesty Panel	1200 mm
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes
	Number of closed storage compartments	1

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	835303,Prabandhan Nagar, Nayarasai Raod, Ranchi	80	30

Chair For General Purpose (170 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR SEAT	Availability of cushion on seat	Yes
	Seat upholstery material	Leatherette
	Colour Family of Seat	Black
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 400 - 700 mm)	Low-back
	Coverage of Backrest Material	Half-covered (Half of backrest covered)
	Colour Family of Backrest	Black
	Lumbar Support available in Seat Backrest	No
CHAIR ARMREST	Armrest Available in the Chair	Yes
	Type of Armrest in Chair	Fixed armrest with Padding

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	835303,Prabandhan Nagar, Nayarasai Raod, Ranchi	170	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

After award of contract – Successful Bidder shall have to get Detailed Design Drawings approved from buyer before starting fabrication. Successful Bidder shall submit Detailed Design Drawings for Buyer's approval, within 7 days of award of contract. Buyer shall, either approve the drawings or will provide complete list of modification required in the drawings within 7 days. Seller shall be required to ensure supply as per approved Drawings with modifications as communicated by Buyer. If there is delay from buyer side in approval of drawing– the delivery period shall be refixed without LD for the period of delay in approval of Drawing.

3. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

IIM Ranchi
Prabandhan Nagar
Naya Sarai Road
Ranchi
Jharkhand-835303
.

4. **Generic**

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

5. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

6. **Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

7. **Generic**

End User Certificate: Wherever Bidders are insisting for End User Certificate from the Buyer, same shall be provided in Buyer's standard format only.

8. **Generic**

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary

product having highest value should meet this criterion.

9. Generic

For hazardous chemical/item, all precautionary measure as per regulation from the point of transportation/ handling/ storage/ safety/ health/ environment to be undertaken/ specified before dispatch. During dispatch, proper symbol for the hazard/ MSDS/ Batch No./ date of manufacturing/ Gross Weight/ Net Weight/ shelf Life etc are to be written/ printed/ pasted on the body of the packing.

10. Generic

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

11. Generic

Malicious Code Certificate:

The seller should upload following certificate in the bid:-

(a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-

- (i) Inhibit the desires and designed function of the equipment.
- (ii) Cause physical damage to the user or equipment during the exploitation.
- (iii) Tap information resident or transient in the equipment/network.

(b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.

12. Generic

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

13. Generic

OPTIONAL SITE VISIT:

1. The Bidder is advised to visit and examine the installation site and its surroundings and obtain for itself on its own responsibility all information that may be necessary for preparing the Bid. The costs of visiting the site shall be borne by the Bidder.

Full by the bidder

2. The Bidder representative shall be allowed entry upon consignee premises for such visits, only upon the express conditions that the Bidder will release and indemnify the Buyer and Consignee against all liabilities arising out of such visit including death or injury, loss or damage to property, and any other loss, damage, costs, and expenses incurred as a result of such visit.

3. The Bidder shall not be entitled to hold any claim against Buyer for noncompliance due to lack of any kind of pre-requisite information as it is the sole responsibility of the Bidder to obtain all the necessary information with regard to site, surrounding, working conditions, weather etc. on its own before submission of the bid.

14. Generic

Products supplied shall be nontoxic and harmless to health. In the case of toxic materials, Material Safety Data Sheet may be furnished along with the material.

15. Generic

1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.

2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

16. Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

17. Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

18. OEM

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

19. Sample Clause

After award of contract – Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit

1

samples for Buyer's approval, within 7 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 7 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample – the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller. Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

20. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

IIM Ranchi
payable at
Ranchi

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

21. Forms of EMD and PBG

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

IIM Ranchi

. The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

22. Forms of EMD and PBG

Bidders can also submit the EMD with Banker's Cheque in favour of

IIM Ranchi

payable at
Ranchi

. Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

23. Forms of EMD and PBG

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

INDIAN INSTITUTE OF MANAGEMENT RANCHI

Account No.

50100083823902

IFSC Code

HDFC0001470

Bank Name

HDFC Bank Limited

Branch address

Anantpur, Ratu Road Branch, Ranchi, Jharkhand, India

. Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

24. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

INDIAN INSTITUTE OF MANAGEMENT RANCHI

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

25. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

INDIAN INSTITUTE OF MANAGEMENT RANCHI

Account No.

50100083823902

IFSC Code

HDFC0001470

Bank Name
HDFC Bank Limited
Branch address
Anantpur, Ratu Road Branch, Ranchi, Jharkhand, India

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

26. **Financial Criteria**

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

27. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

28. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

29. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

30. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

31. **Certificates**

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid):

AIOTA Certificate and Green Pro by CII. These certificates will be verified by respective issuing authority.

32. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

33. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

Details of Bunk Beds:-

Metal Understructure : Headboard & Tailboard of 50X25X1.2mm THK MS Round pipe conforms to IS 492 3 and Top frame of combination of 50x25x1.2mm THK Rectangular pipe & 25x25x1.2mmTH K Square pipe the frame finished with powder coat up to 50 -60 MICRON.

Front and Back frame: - shall be made up of outer horizontal MS pipe 25x50x1.2mm Thick with outer vertical MS pipe 50x25x1.2mm Thick, and Middle MS pipe 25x25x1.2mm Thick. Conforming ISGrade 4932 with powder coated finish up 50 to 60 Micron. Legs shall be fitted to the ground with M8 screw leveler with the height adjustment up to 12mm to 15mm. Construction is fully welded with MIG welding. To connect head board and middle frame 2 mm Thick CRCA sheet bracket is used conforming IS 513: 2008 with powder coated finish up 50 to 60 Micron. Connecting bracket is welded on vertical pipe. End to end dimensions for the

e Headboard is 970(W) x 1655mm (H).

A 18 mm prelam particle board with selected lamination on both sides is to be provided as cladding In headboard and tail board frame to cover the gap in the frame as indicated in the picture. MIDDLE FRAME:-Middle Frame shall be made up of Connecting MS Pipe 25x50x1.2mm Thick, and supported by MS pipe 25x25x1.2mm Thick. conforming IS-Grade 4932 with powder coated finish up 50 to 60 Micron. All pipes welded to each other by MIG welding. End to end dimensions for the middle frame is 2085(L) x910mm (W).

LADDER:-Ladder shall be made up of horizontal and vertical MS pipe 25x50x1.2mm Thick. Conforming IS-Grade 4932 with powder coated finish up 50 to 60 Micron. 2mm Thick CRCA plate welded to the horizontal pipe. Construction is fully welded by MIG welding. End to end dimensions for the ladder is 360(L) x910mm (H)

SUPPORT ARM:-shall be made up of MS Pipe 25x25x1.2mm Thick, conforming IS-Grade 4932 and 2mm Thick CRCA connecting plate. With powder coated finish up 50 to 60 Micron. All pipes welded to each other by MIG welding. End to end dimensions for the Supporting Arm is 263(L) x985mm (W).

FINAL ASSEMBLY: Assembly made by mounting Headboard, Tailboard, and middle frame Assembly shall be connected by 8 Nos of connecting Brackets & M8x16 Allen Bolt. End to end dimensions for the bed is 2085 (L) x970(W) x1655(H) mm

Finish- The bodies including shelves are given anti-rust surface treatment & are powder coated with epoxy polyester powder. It involves an Oxsilan pretreatment consisting of Hot water degreasing, cold water rinse I & cold-water rinse II, iron phosphating, cold water rinse, passivation & dry off oven treatment. Final finish consists of epoxy polyester powder coating of approved color & shade with a Dry Film Thickness of 50 to 60 (+/- 5) microns. The material is then oven baked with a controlled temperature of 180 deg. C to 200 deg. C. The product must be from a Manufacturer having ISO 9001, ISO 14001 certificates. Construction : Flat Pack

-

-

-

Details of Almirah

Depth Wardrobe Top- Is made up of 25mm thick Prelam (BSL) particle board confirming to IS 12823: 1990 with 2mm thick

PVC lipping glued. Table top undergoes a distributed load test for deflection by applying 0.027kg/mm load on Top and center

centric load test by applying 90kg load on weaker section.

Body-It consists of the bottom panel, LH and RH side panel, LH and RH shutter, shelf and bottom panel as a main part. LH

and RH are made up of an 18mm thick BSL particle board confirming to IS 12823: 1990 with 0.8mm thick PVC lipping glue

d. Both the side panels have a depth of 573 mm. skirting and bottom panel are made up of 18mm thick BSL particle board

confirming to IS 12823: 1990 with 0.8mm thick PVC lipping glued. Bottom panel and Skirting are connected with each other

by a leveler bracket. Intermediate vertical panel is made up of an 18mm thick BSL particle board confirming to IS

IS 12823: 1990 with 0.8mm thick PVC lipping glued, vertical panel having the provision holes for shelf adjustment.

Full Shelf of 723 mm width, Half Shelf of 352 mm width and the divider panels are made up of 18mm thick OSB particle board

board conforming to IS 12823: 1990 with 0.8mm thick PVC lipping glued. Shelf is having a depth of 533mm. Shelf is oval shape

Anger rod is screw on both the side panel, which is having a length of 854mm. The construction shall be aesthetically appealing

Aligning and completely knock down connect with each other by using Minifix & Dowels.

Shutter - 4 Nos - The complete storage shall have two shutters of 18mm thick Prelam (BSL) particle board conforming to IS 12823: 1990

Shelf IS 12823: 1990 with 2mm thick PVC lipping glued and shutter is hung on with 90° Crank hinges on both the side panel. Aluminium

Aluminium handle is used in both the shutter of 160mm CD (center to center distance handle hole). Black color PVC door strip is used

and multi-purpose square lock is used.

Drawer- Drawer body is made up of 18mm Prelam (BSL) particle board conforming to IS 12823:1990 and drawer base is made up of 9mm thick Prelam (BSL) particle board conforming to IS 12823:1990. Drawer fascia made up of 18mm thick Prelam (BSL) particle board conforming to IS 12823: 1990 with 2mm thick PVC lipping glued.

Drawer fascia made up of 18mm thick Prelam (BSL) particle board conforming to IS 12823: 1990 with 2mm thick PVC lipping glued.

am (BSL) particle board conforming to IS 12823: 1990 with 2mm thick PVC lipping glued.

The Recess Handle is used as a handle and Drawer mounted on the bottom mounting slide. The product must be from a Manufacturer having ISO 9001, ISO 14001 certificates.

Manufacturer having ISO 9001, ISO 14001 certificates.

Finish of exterior / edge - PVC Edge Banding.

Material of Top Section - BWP Ply.

Side of Lamination in Top Section - Single (Top Side).

Type of Material of Lamination in Top Section - Laminate

Thickness of Material for Top section (mm) - 25 MM

Colour Family of Top Section - Brown.

Material of Bottom Section - BWP Ply

Side of Lamination in Bottom Section - Single (Top Side)

Thickness of Material for bottom section (mm)- 25 MM

Material of Sides Section - BWP Ply

Side of Lamination in Wooden Sides Section - Double (Top and Bottom Sides)

Type of Material of Lamination in Wooden Sides Section - Laminate

Thickness of Wooden Leg / Gable (hint : Select "NA" for Metal Frame)- 25 MM

Number of Doors - 2

Thickness of Door (mm) -18 MM

Material of Door Handles – Metal

Type of Door Handles - Bar Handle

Height Position of Door Handle- Middle of the Door

Color family of Door Handle –White

Number of Doors -4

Number of Locking Systems in Wardrobe -2

-

-

Study Table:-

Marine Ply, BWP Ply, MR (Moisture Resistant) Ply Or higher Resistant) Ply Or higher ,

Side of Lamination in Table Top :- Single (Top Side), Double (Top and Bottom Sides) Or higher

Type of Material of Finish :-- Laminate, Veneer, Laminate on One Side and Veneer on Other Side Or higher

Thickness of Table Top Edge- 25 mm

Table Top Edges- Straight

Length of Table Top- 1200 mm

Depth of Table Top (Tolerance ± 20 mm) -600 mm

Standard Height of Work Top /

Minimum Height of Height

Adjustable Work Top (Tolerance

± 20 mm) - 750 mm

Material Type of Table

Understructure - Wooden/Engineer Wood Understructure

Thickness of Wooden Leg

(Tolerance ± 2 mm)- 25 mm

Number of closed storage - 1

Chair:-

Understructure type – Legs

Understructure Material - Stainless steel (SS 202)

The shape of tubular section of understructure – Round.

Section Size

(Diameter/Sides) of Understructure - 25 mm

Understructure wall thickness (mm) – 2

Seat material - PU foam

Thickness of PU used in seat (mm) / Density of PU used in seat

(kg per cubic meter) - $>30 \leq 40$

Minimum seat height from

floor surface (mm) - $>400 \leq 500$

Width of seat (mm) - >450

Depth of seat (mm) - >450

Seat upholstery material - Leatherette

Density of PU used in backrest (kg per cubic meter) - $>30 \leq 40$,

Thickness of PU used in backrest (mm) - $>30 \leq 40$,

Width of backrest (mm) >450

Backrest height from the seat level - $>450 \leq 550$

Backrest upholstery Material - Leatherette

Armrest movement -Fixed

.

34. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

35. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

36. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

37. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

38. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

39. Past Project Experience

The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:

- (i) Single order of at least 35% of estimated bid value; or
- (ii) Two orders of at least 20% each of estimated bid value; or
- (iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues

or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---